

## TEN-X AMMUNITION, INC. -- BALLISTICS DATA

8/7/2009	Bullet Grain, Type & Dia.	Velocity Pistol	Velocity Long Gun	Terminal Velocity 100 yds	Energy (ft. lbs.) 100 yds	Drop in Inches 100 yds	Pistol Power Factor
Cartridge							
25-20	85 RNFP (.259)	-	1,350	1,115	235	11.49	-
25-35	117 FPGC (.258)	-	1,711	1,457	552	7.02	-
30-30	170 RNFP (.309)	-	1,910	1,634	1,008	5.64	-
32 H&R Mag	78 RN (.312)	798	-	-	-	-	62
32 H&R Mag	115 RNFP (.312)	760	-	-	-	-	87
32 H&R Mag BPC	115 RNFP (.312)	644	-	-	-	-	74
32 S&W	78 RN (.312)	634	-	-	-	-	49
32 S&W Long	78 RN (.312)	576	-	-	-	-	45
32 S&W Long BPC	78 RN (.312)	649	-	-	-	-	51
32-20	115 RNFP (.312)	823	-	-	-	-	95
32-20 BPC	115 RNFP (.312)	821	-	-	-	-	94
32-40	170 RNFP (.321)	-	1,700	1,433	775	7.15	-
357 Mag	130 RNFP (.357)	825	1,062	767	165	27.93	107
357 Mag BPC	130 RNFP (.357)	779	1,099	947	259	16.76	101
357 Mag	158 RNFP (.357)	875	1,200	1,024	368	14.20	138
357 Mag BPC	158 RNFP (.357)	840	1,127	986	341	15.75	133
38 Long Colt	150 HBFP (.357)	586	-	-	-	-	88
38 Long Colt BPC	150 HBFP (.357)	658	-	-	-	-	99
38 Short Colt	95 RNFP (.357)	663	-	-	-	-	63
38 Special	105 TFP (.358)	593	680	618	89	41.11	62
38 Special	130 RNFP (.357)	578	756	699	141	32.99	75
38 Special BPC	130 RNFP (.357)	679	956	860	214	21.22	88
38 Special	158 RNFP (.357)	698	868	754	199	25.09	110
38 S&W	150 HBFP (.357)	600	-	-	-	-	90
38-40	180 RNFP (.401)	685	1,010	907	329	19.12	123
38-40 BPC	180 RNFP (.401)	760	950	865	299	21.30	137
38-55	245 RNFP (.377)	-	1,465	1,252	853	9.50	-
38-55 Game	260 RNFP GC	-	1,675	1,433	1,177	7.31	-
38-56	260 RNFP GC	-	1,760	1,510	1,301	6.63	-
38-56 BPC	260 RNFP GC	-	1,360	1,184	809	10.86	-
40-60 Win	260 RNFP (.406)	-	1,329	1,138	748	11.52	-
40-60 Win BPC	260 RNFP (.406)	-	1,334	1,142	753	11.44	-
40-65 Win Lever	260 RNFP (.406)	-	1,650	1,380	1,099	7.63	-
40-65 Win Lever BPC	260 RNFP (.406)	-	1,420	1,198	829	10.20	-
40-82	260 RNFP (.406)	-	1,490	1,250	902	9.32	-
41 Long Colt	200 HBFP (.403)	610	-	-	-	-	122
41 Long Colt BPC	200 HBFP (.403)	630	-	-	-	-	126
44 Colt BPC	165 HBFP (.429)	760	-	-	-	-	125
44 Colt	200 RNFP (.429)	672	-	-	-	-	134
44 Colt BPC	200 RNFP (.429)	719	-	-	-	-	144
44 Mag	200 RNFP (.429)	748	-	-	-	-	150
44 Mag BPC	200 RNFP (.429)	670	-	-	-	-	134
44 Russian	200 RNFP (.429)	646	-	-	-	-	129
44 Russian BPC	200 RNFP (.429)	773	-	-	-	-	155
44 Special	200 RNFP (.429)	627	-	-	-	-	125
44-40	165 HBFP (.427)	632	-	-	-	-	104
44-40 BPC	165 HBFP (.427)	631	-	-	-	-	104
44-40	200 RNFP (.427)	695	-	-	-	-	139
44-40 BPC	200 RNFP (.427)	655	-	-	-	-	131
45 Colt	165 HBFP (.453)	565	-	-	-	-	93
45 Colt BPC	165 HBFP (.453)	850	-	-	-	-	140
45 Colt	200 RNFP (.452)	702	-	-	-	-	140
45 Colt	250 RNFP (.452)	701	-	-	-	-	175
45 Colt BPC	250 RNFP (.452)	670	-	-	-	-	168

## TEN-X AMMUNITION, INC. -- BALLISTICS DATA

8/7/2009	Bullet Grain, Type & Dia.	Velocity Pistol	Velocity Long Gun	Terminal Velocity 100 yds	Energy (ft. lbs.) 100 yds	Drop in Inches 100 yds	Pistol Power Factor
Cartridge							
45 Schofield	165 HBFP (.453)	532	-	-	-	-	88
45 Schofield	200 RNFP (.452)	526	-	489	106	67.14	105
45 Schofield BPC	200 RNFP (.452)	794	-	-	-	-	159
45 ACP	200 RNSWC (.452)	900	-	-	-	-	180
45-60 Win	300 FP (.458)	-	1,450	1,172	915	10.12	-
45-60 Win BPC	300 FP (.458)	-	1,429	1,162	899	10.37	-
45-70 Lever	405 FP (.458)	-	1,375	1,200	1,295	10.61	-
45-70 Lever BPC	405 FP (.458)	-	1,290	1,138	1,165	11.96	-
45-70 SS	405 RNFP (.458)	-	1,405	1,223	1,345	10.19	-
45-70 SS BPC	405 RNFP (.458)	-	1,305	1,145	1,179	11.79	-
45-70 Gov't	500 FP (.458)	-	1,422	1,268	1,785	9.78	-
45-70 Gov't BPC	500 FP (.458)	-	1,046	978	1,062	17.32	-
45-75 Win	350 RNFP (.458)	-	1,375	1,156	1,039	10.92	-
45-75 Win BPC	350 RNFP (.458)	-	1,307	1,112	961	11.98	-
45-90 Win Lever	300 FP (.458)	-	1,665	1,362	1,236	7.61	-
45-90 Win Lever BPC	300 FP (.458)	-	1,600	1,281	1,093	8.36	-
45-90 Win SS	405 RNFP (.458)	-	1,400	1,272	1,343	10.24	-
45-90 Win SS Game	405 RNFP (.458)	-	1,603	1,386	1,728	7.89	-
45-90 Win SS BPC	405 RNFP (.458)	-	1,520	1,317	1,560	8.75	-
45-90 Win SS BPC Game	480 HBSFP (.458)	-	1,322	1,236	1,628	10.92	-
45-110 Sharps	535 FBSFP (.458)	-	1,300	1,224	1,780	11.23	-
45-110 Sharps BPC	535 FBSFP (.458)	-	1,200	1,139	1,541	13.08	-
45-120 SS	535 FBSFP (.458)	-	1,497	1,402	2,335	8.55	-
45-120 SS BPC	535 FBSFP (.458)	-	1,420	1,332	2,108	9.47	-
50-70	500 RNFP (.513)	-	1,150	1,044	1,210	14.70	-
50-70 BPC	500 RNFP (.513)	-	1,217	1,088	1,314	13.29	-
50-90	500 RNFP (.513)	-	1,420	1,235	1,693	9.98	-
50-90 BPC	500 RNFP (.513)	-	n/a	n/a	n/a	n/a	-
50-95 Win	350 RNFP (.509)	-	1,400	1,153	1,033	10.70	-
50-95 Win BPC	350 RNFP (.509)	-	1,390	1,122	978	11.03	-
56-50 Spencer	350 RNFP (.513)	-	1,298	1,071	891	12.48	-
56-50 Spencer BPC	350 RNFP (.513)	-	1,008	909	642	19.14	-
577-450 Martini-Henry BPC	480 HBSFP (.463)	-	1,333	1,244	1,649	10.76	-
577 Snider BPC	480 HBHP (.585)	-	1,024	924	910	18.56	-
12ga, 2¾" BPC	1oz, #7½, 25/bx	-	1,057	-	-	-	-
12ga, 2¾" Turkey Load BPC	1½ oz, #6, 5/bx	-	1,250	-	-	-	-
.223 Frangible "Steel Safe" Reman	55 WTP	-	2,332	1,826	407	4.05	-
.223 Frangible "Steel Safe"	55 WTP	-	2,332	1,826	407	4.05	-

Notes: Terminal Velocity, Energy & Drop are only listed for rifle ballistics. Only regularly stocked cartridges have ballistics data listed here.